



# EAS Tug Unit

UK



Time saving  
solutions

[www.EASchangesystems.com](http://www.EASchangesystems.com)

# Save time and money with the Walk-Behind Transporter from EAS

## The answers to the most asked questions:

Precise maneuverability

Powerful hydraulic lifting and lowering capacity

Capable of moving loads up to 20 tons

## Why EAS change systems?

The EAS Walk-Behind Transporter is a battery driven and manually operated pull/push truck. This truck can be used as an individual drive unit with several hooked-on carriers, or as integrated unit in a tool transporter. The truck works at its optimum if one truck is used to serve several trailers.

The truck is maneuvered into position and the hydraulic cylinder lifts the hook into the cradle on the trailer. The hydraulics are powerful enough to lift the trailer. Both parts are mated, making the truck and trailer as one. The additional load on the drive wheel of the truck ensures enough friction to move the load. When the final position is reached, the hook is lowered and the truck can be removed, ready for use on another trailer. No waiting time and optimum use of your truck.



## Walk-Behind Transporter solution

Using a Walk-Behind Transporter is a battery driven and manually operated pu, dies or molds are brought from the storage or maintenance area to the press and returned. Several carriers can be hooked up to this car, or you can use it as an integrated unit in a tool transporter.

# Technical characteristics



## Selection charts

TUG UNIT TYPE	Max Capacity	Max Speed	Weight	Battery capacity
<b>ETU 25</b>	25 Tons	50m/min	360 kg	45 min
<b>ETU 45</b>	45 Tons	50m/min	800 kg	105 min

Trailers smaller / larger	Max Capacity	Dimensions (mm)
<b>Trailer 10</b>	10 Tons	850 x 1300
<b>Trailer 45</b>	45 Tons	4000 x 3000

## Other solutions



### ELM

Our ELM solutions are flexible, easy to use and precise. EAS Mover series has their own special advantages. The Large Mover consists of an efficient and innovative system, customised to match all the expectations of your project.



### Mold Change Cars

Mold transfer methods vary based on the size of the molds, from manual to fully automated. Molds are positioned quickly and precisely with our mold transfer systems. Mobile mold change carts provide even more flexibility.



### Mold Change Tables

Mold change tables are the latest innovation from our engineering team. The tables are designed to boost production efficiency. Machine availability can be increased by 95% with the use of EAS designed mold change tables.

#### Europe/The Netherlands

##### EAS Europe B.V.

De Hooge Hoek 19A / 3927 GG Renswoude  
Phone: +31 318 477 010 / The Netherlands  
info@EASchangesystems.com

#### USA

##### EAS Mold & Die Change Systems, Inc.

200 Augusta Arbor Way, Suite B  
Greenville, South Carolina 29605  
Phone: +1 864 603 3386 / United States of America  
easus@EASchangesystems.com

#### France

##### EAS France S.A.R.L.

ZI Alpespace / 218 Voie Aristide Bergès  
73800 Sainte Hélène du Lac  
Phone: +33 4 79 65 04 10 / France  
easfr@EASchangesystems.com

#### China

##### 苏州易爱使快速换模系统有限公司

##### Suzhou EAS Change Systems Co., Ltd

No.1188 Pangjin Road / Wujiang City / 215200  
Phone: +86-512-63093091 / PR China  
sales-china@EASchangesystems.com

#### Italy

##### EAS MED S.r.L.

Via J. F. Kennedy, 19/C2 / 20871 Vimercate (MB)  
Phone: +39 039 608 3816, +39 039 626 0654 / Italy  
easmed@EASchangesystems.com